



ZHUODONG

QINGDAO ZHUODONG INDUSTRY AND TRADE CO., LTD.



青岛卓东工贸有限公司

QINGDAO ZHUODONG INDUSTRY AND TRADE CO.,LTD

TEL.:+86 532 66768346

Web:www.qdfreezer.com

品质卓越 值得信赖

EXCELLENT QUALITY TRUST WORTHY

CONTENTS

- 03-08 CHEST FREEZER
- 09-16 UNTRA LOW TEMPERATURE FREEZER
- 17-22 FLAT DOOR SHOWCASE FREEZER
- 23-24 CURVED DOOR SHOWCASE FREEZER
- 25-28 TABLE TOP FREEZER
- 29-30 FREE STANDING WINE COOLER
- 31-32 BEVERAGE COOLER
- 33-36 BACK BAR COOLER
- 37-38 FOUR SIDED GLASS DISPLAY CABINET
- 39-40 VERTICAL DISPLAY CABINET
- 41-42 COMBINED ISLAND FREEZER



EXCELLENT QUALITY TRUST WORTHY



CHEST FREEZER

PRODUCT

- ▷ Apply famous compressor ,with super thickness cabinet.
- ▷ Various kind of configuration with optional LED light,control panel,wheels and door.
- ▷ Long storage time at breakdown.
- ▷ Certifications:CB CE ERP ROHS REACH G-MARK SAA PSE.
- ▷ Optional Refrigerant:R134a and R600a.
- ▷ EU Energy class :A+ A++ A+++.
- ▷ Super thickness :A+++ 115mm,A++ 90mm .
- ▷ Exports more than 100 countries.



CHEST FREEZER



BD43



BD60



BD85

Model	BD43	BD60	BD85
Climate class	SN、 N、 ST、 T	SN、 N、 ST、 T	SN、 N、 ST、 T
Temperature range(°C)	≤-18	≤-18	≤-18
Total net capacity(L)	41	51	78
Unit dimensions(W×D×H)mm	495×340×865	355×630×850	475×590×850
Pack dimensions(W×D×H)mm	525×365×890	390×660×880	515×635×880
Container load (40'HC)	425	322	280

 CHEST FREEZER



BD105

BD155



BD300



BD215



BD400 BD500

Model	BD105	BD155	BD215
Climate class	SN、N、ST、T	SN、N、ST、T	SN、N、ST、T
Temperature range(°C)	≤-18	≤-18	≤-18
Total net capacity(L)	98	152	197
Unit dimensions(W×D×H)mm	545×590×850	735×590×850	895×590×850
Pack dimensions(W×D×H)mm	585×635×880	775×635×880	935×635×880
Container load (40'HC)	247	185	148

Model	BD300	BD400	BD500
Climate class	SN、N、ST、T	SN、N、ST、T	SN、N、ST、T
Temperature range(°C)	≤-18	≤-18	≤-18
Total net capacity(L)	310L	430L	530L
Unit dimensions(W×D×H)mm	1100*675*850	1460*675*850	1720*675*850
Pack dimensions(W×D×H)mm	1120*695*880	1480*695*880	1740*695*880
Container load (40'HC)	102	75	60

 CHEST FREEZER



BD600



BD700



BD800

Model	BD600	BD700	BD800
Climate class	SN、N、ST、T	SN、N、ST、T	SN、N、ST、T
Temperature range(°C)	≤-18	≤-18	≤-18
Total net capacity(L)	610L	700L	770L
Unit dimensions(W×D×H)mm	1960*675*850	1800*805*850	2000*810*860
Pack dimensions(W×D×H)mm	1980*695*880	1820*825*880	2020*825*880
Container load (40'HC)	54	42	42

 CHEST FREEZER



BD900



BD1200

Model	BD900	BD1200
Climate class	SN、N、ST、T	SN、N、ST、T
Temperature range(°C)	≤-18	≤-18
Total net capacity(L)	950L	1310L
Unit dimensions(W×D×H)mm	2200*880*860	2500*960*860
Pack dimensions(W×D×H)mm	2220*895*880	2520*1020*880
Container load (40'HC)	39	24



ULTRA-LOW TEMPERATURE FREEZER



DW-86W200

Model	DW-86W200	DW-86W260	DW-86W320
Climate class	SN、N、ST、T	SN、N、ST、T	SN、N、ST、T
Temperature range(°C)	-40~-86	-40~-86	-40~-86
Total net capacity(L)	170	230	270
Unit dimensions(W×D×H)mm	1035×750×850	1275×750×850	1435×750×850
Pack dimensions(W×D×H)mm	1080×780×890	1320×760×890	1480×760×890
Container load (40'HC)	98	80	72



ULTRA-LOW TEMPERATURE FREEZER

- 90mm Super-thickness foaming cabinet.
- Lowest temperature can get -60°C.
- Apply imported Embraco compressor and Dixell controller.



DW-65W200



● Foam layer thickness



● High-efficiency compressor



● Liner



● Elf Controller

Model	DW-65W60	DW-65W100	DW-65W200
Climate class	SN、N、ST、T	SN、N、ST、T	SN、N、ST、T
Temperature range(°C)	-10~-60	-10~-60	-10~-60
Total net capacity(L)	52	97	193
Unit dimensions(W×D×H)mm	545×580×875	685×590×875	910×750×875
Pack dimensions(W×D×H)mm	580×625×890	725×635×880	955×780×890
Container load (40'HC)	226	170	108



ULTRA-LOW TEMPERATURE FREEZER



DW-65W400

Model	DW-65W300	DW-65W400
Climate class	SN、N、ST、T	SN、N、ST、T
Temperature range(°C)	-10~-60	-10~-60
Total net capacity(L)	253	358
Unit dimensions(W×D×H)mm	1135×750×875	1475×750×875
Pack dimensions(W×D×H)mm	1180×780×890	1520×780×890
Container load (40'HC)	90	66



ULTRA-LOW TEMPERATURE FREEZER

- ❖ -50°C, Fast Freezing
- ❖ Cabinet Foaming Thickness: 90mm, heat preservation and energy saving
- ❖ Electronic controller, with multiple intelligent alarm functions, including high and low temperature alarm, sensor fault alarm



DW-55W110



DW-55W220



Model	DW-55W110	DW-55W220
Climate class	SN、N、ST	SN、N、ST
Temperature range(°C)	-10~-50	-10~-50
Total net capacity(L)	104	154
Unit dimensions(W×D×H)mm	685×590×850	895×590×850
Pack dimensions(W×D×H)mm	725×635×880	935×635×880
Container load (40'HC)	170	131



ULTRA-LOW TEMPERATURE FREEZER



DW-55W320

Model	DW-55W260	DW-55W320	DW-55W400
Climate class	SN、N、ST	SN、N、ST	SN、N、ST
Temperature range(℃)	-10~-50	-10~-50	-10~-50
Total net capacity(L)	238	312	365
Unit dimensions(W×D×H)mm	1035×750×850	1275×750×850	1475×750×850
Pack dimensions(W×D×H)mm	1080×780×890	1320×780×890	1520×780×890
Container load (40'HC)	98	80	66



ULTRA-LOW TEMPERATURE FREEZER

- ❖ The energy is A+ , R290, inside temperature can reach -40℃ .
- ❖ Fast freezing, food keep fresh during preservation.
- ❖ Digital Controller: showing the exact temperature clearly.
- ❖ Compare with other --40℃ deep low freezer, our freezer is more competitive and practical.
- ❖ One appearance show different temperature range: -18℃ and -40℃ , customer can choose according to their requirement.



DW-40W215

Model	DW-40W105	DW-40W155	DW-40W215
Climate class	SN、N	SN、N	SN、N
Temperature range(℃)	-10~-40	-10~-40	-10~-40
Total net capacity(L)	98	152	197
Unit dimensions(W×D×H)mm	545×590×850	735×590×850	895×590×850
Pack dimensions(W×D×H)mm	585×635×880	775×635×880	935×635×880
Container load (40'HC)	247	185	148



ULTRA-LOW TEMPERATURE FREEZER



DW-40W350

Model	DW-40W305	DW-40W350
Climate class	SN、N	SN、N
Temperature range(℃)	-10~-40	-10~-40
Total net capacity(L)	252	283
Unit dimensions(W×D×H)mm	1125×590×850	1035×750×850
Pack dimensions(W×D×H)mm	1160×635×880	1080×760×890
Container load (40'HC)	112	98



ULTRA-LOW TEMPERATURE FREEZER



DW-40W450

Model	DW-40W450	DW-40W550	DW-40W650
Climate class	SN、N	SN、N	SN、N
Temperature range(℃)	-10~-40	-10~-40	-10~-40
Total net capacity(L)	368	459	560
Unit dimensions(W×D×H)mm	1275×750×850	1535×750×850	1805×750×850
Pack dimensions(W×D×H)mm	1320×760×890	1580×760×890	1850×760×890
Container load (40'HC)	80	65	56



FLAT DOOR SHOW CASE FREEZER



SD80



SD100

FLAT DOOR SHOW CASE FREEZER

- » Various colors are available (blue, grey, etc), increased the product variety.
- » Sliding glass door design can ensure maximally the display effect but and facilitate the storage and taking out of goods.
- » The anti-condensation pipe at the connection of each layer of glass door and frame can avoid efficiently the condensation and frosting.
- » Patent LED light bar, occupies little space but looks brighter.
- » Optional galss door-Facilitate the selling of ice cream.

PRODUCT

Model	SD43	SD80	SD100
Climate class	4	4	4
Temperature range(°C)	≤-18	≤-18	≤-18
Total net capacity(L)	41	62	87
Unit dimensions(W×D×H)mm	495×340×865	475×555×830	545×555×810
Pack dimensions(W×D×H)mm	525×365×890	515×635×880	585×635×845
Container load (40'HC)	425	249	226


FLAT DOOR SHOW CASE FREEZER



SD205



SD351



• Glass cover



• Cabinet color



• Deep pan food basket with bucket



• LED strip

Model	SD200	SD205	SD351
Climate class	4	4	4
Temperature range(°C)	≤-18	≤-18	≤-18
Total net capacity(L)	174	165	238
Unit dimensions(W×D×H)mm	895×555×810	725×675×830	1035×675×830
Pack dimensions(W×D×H)mm	935×635×845	770×780×870	1080×780×870
Container load (40'HC)	131	135	98

FLAT DOOR SHOW CASE FREEZER



SD451



SD551



SD651

Model	SD451	SD551	SD651
Climate class	4	4	4
Temperature range(°C)	≤-18	≤-18	≤-18
Total net capacity(L)	310	389	471
Unit dimensions(W×D×H)mm	1275×675×830	1535×675×830	1805×675×830
Pack dimensions(W×D×H)mm	1320×780×870	1580×780×870	1850×780×870
Container load (40'HC)	80	65	56

FLAT DOOR SHOW CASE FREEZER



● Glass cover



● Cabinet color



● Food basket flat or deepened



● LED strip

Model	SD-400	SD-500	SD-600	SD-800
Climate class	4	4	4	4
Temperature range(°C)	≤-25°C	≤-25°C	≤-25°C	≤-25°C
Total net capacity(L)	370	580	630	700
Unit dimensions(W×D×H)mm	1400×650×850	1500×805×850	1600×850×840	1800×805×850
Pack dimensions(W×D×H)mm	1430*700*890	1530*830*900	1630*880*890	1830*840*890
Container load (40'HC)	72	63	42	42

FLAT DOOR SHOW CASE FREEZER



Model	SD4900	SD5051	SD6500
Climate class	4	4	4
Temperature range(°C)	≤-25°C	≤-25°C	≤-25°C
Total net capacity(L)	800	980	1228
Unit dimensions(W×D×H)mm	2000×850×850	2000×1000×850	2500×1000×850
Pack dimensions(W×D×H)mm	2030*880*900	2030*1030*900	2250*1030*900
Container load (40'HC)	39	33	24

CURVED DOOR SHOW CASE FREEZER

- ▶ Special curved glass door design can not only ensure the display effect, but also reduce the condensation effectively of glass door.
- ▶ Splicing frame, various colors are available, the frame connection material in the middle is optional, can be aluminium or plastic.



SD151S




● Glass cover



● Aluminum alloy cabinet

CURVED DOOR SHOW CASE FREEZER



SD551S



SD651S

Model	SD151S	SD251S	SD351S
Climate class	4	4	4
Temperature range(°C)	≤-18	≤-18	≤-18
Total net capacity(L)	102	190	240
Unit dimensions(W×D×H)mm	615×690×830	805×695×860	1045×695×860
Pack dimensions(W×D×H)mm	655×705×890	845×765×890	1080×765×890
Container load (40'HC)	162	125	98

Model	SD451S	SD551S	SD651S
Climate class	4	4	4
Temperature range(°C)	≤-18	≤-18	≤-18
Total net capacity(L)	309	395	480
Unit dimensions(W×D×H)mm	1275×695×860	1535×695×860	1815×695×860
Pack dimensions(W×D×H)mm	1320×765×890	1580×765×890	1850×765×890
Container load (40'HC)	80	65	56



TABLE-TOP FREEZER



SD36



SD50



TABLE-TOP FREEZER

- » Three layer glass door with self-closing, with electrical heating, aluminium frame and plastic frame are option.
- » Optional LED light box, convenient for advertising.
- » Adjustable shelves.

PRODUCT

Model	SD36	SD50
Climate class	4	4
Temperature range(°C)	≤-18	≤-18
Total net capacity(L)	36	40
Unit dimensions(W×D×H)mm	528×746×396	475×555×505
Pack dimensions(W×D×H)mm	558×778×440	515×635×555
Container load (40'HC)	378	336

TABLE-TOP FREEZER



SD30



SD40



SD45



SD45A

Model	SD66	SD30	SD40	SD45	SD45A
Climate class	4	4	4	4	4
Temperature range(°C)	≤-18	≤-18	≤-18	≤-18	≤-18
Total net capacity(L)	58	21	36	42	42
Unit dimensions(W×D×H)mm	615×675×500	402×405×545	475×435×520	570×500×500	570×500×595
Pack dimensions(W×D×H)mm	655×705×525	440×440×560	520×465×535	610×540×535	610×540×625
Container load (40'HC)	270	460	575	410	328

TABLE-TOP FREEZER



SD92



SD92A



• Light box



• Liner

Model	SD92	SD92A	SD102
Climate class	4	4	4
Temperature range(°C)	≤-18	≤-18	≤-18
Total net capacity(L)	88	88	101
Unit dimensions(W×D×H)mm	595×520×690	595×535×855	500×545×955
Pack dimensions(W×D×H)mm	635×560×710	635×560×880	540×585×985
Container load (40'HC)	234	234	176

FREE STANDING WINE COOLER



EW380G



EW470G



Model	EW110G	EW290G	EW380G	EW470G
Climate class	SN、N、ST	SN、N、ST	SN、N、ST	SN、N、ST
Temperature range(℃)	4~18	5~20	5~20	5~20
Total net capacity(L)	105	290	370	450
Number of bottles	23	142	186	230
Unit dimensions(W×D×H)mm	480×520×840	595×710×1280	595×710×1580	595×710×1880
Pack dimensions(W×D×H)mm	520×560×870	640×760×1310	640×760×1610	640×760×1910
Container load (40'HC)	274	108	75	72

FREE STANDING WINE COOLER



EWB470G



● Blower



● Controller

Model	EWB290G	EWB380G	EWB470G
Climate class	SN、N、ST	SN、N、ST	SN、N、ST
Temperature range(℃)	5~20	5~20	5~20
Total net capacity(L)	270	350	430
Number of bottles	114	150	204
Unit dimensions(W×D×H)mm	595×710×1280	595×710×1580	595×710×1880
Pack dimensions(W×D×H)mm	640×760×1310	640×760×1610	640×760×1910
Container load (40'HC)	108	75	72



BEVERAGE COOLER

- Absorption inner tank ,optinal colour white or black.
- Optional material of shelves,can be plastic dip wire,chromeplate or wooden.
- With top led light.

BEVERAGE COOLER



LC-150/ LC-185 / LC-300 / LC-400



SC300 LC-600/ LC-700

LC-900/LC-1000

Model	LC-80	LC-150	LC-185	LC-300	LC-400	LC-600	LC-700	LC-900	LC-1000
Climate class	4	4	4	4	4	4	4	4	4
Temperature range(℃)	2~10	2~10	2~10	2~10	2~10	2~10	2~10	2~10	2~10
Total net capacity(L)	83	150	185	300	400	588	718	968	1080
Unit dimensions(W×D×H)mm	550*570*820	550*570*1520	550*570*1720	600*550*1950	650*570*1950	1000*570*1980	1200*570*1980	1500*570*1980	1800*570*1980
Pack dimensions(W×D×H)mm	570*590*840	570*590*1540	570*590*1740	620*560*1950	670*590*1950	1020*590*2000	1220*590*2000	1520*590*2000	1820*590*2000
Container load (40'HC)	252	142	111	102	92	58	47	37	31



BACKBAR

PRODUCT

- ▽ Optional single door, double door and triple door, with automatic spring return function.
- ▽ Optional double door and triple door with automatic spring return function.
- ▽ Adjustable plastic dip wire shelf, stainless steel shelf stripe to avoid rusting.
- ▽ Electrical thermostat and LED light.

BACKBAR



SC125H



• LED light switch



• Air outlet



• Blower



• Controller

Model	SC125H
Climate class	4
Temperature range(℃)	0~10
Total net capacity(L)	113
Unit dimensions(W×D×H)mm	555×520×865
Pack dimensions(W×D×H)mm	595×580×910
Container load (40'HC)	160



SC205S



SC335S



Model	SC205S	SC205H
Climate class	4	4
Temperature range(°C)	0~10	0~10
Total net capacity(L)	185	185
Unit dimensions(W×D×H)mm	865×520×865	865×520×865
Pack dimensions(W×D×H)mm	905×580×910	905×580×910
Container load (40'HC)	104	104

Model	SC335S	SC335H
Climate class	4	4
Temperature range(°C)	0~10	0~10
Total net capacity(L)	300	300
Unit dimensions(W×D×H)mm	1350×520×865	1350×520×865
Pack dimensions(W×D×H)mm	1390×580×910	1390×580×910
Container load (40'HC)	66	66



FOUR-SIDED GLASS DISPLAY CABINET

PRODUCT



FOUR-SIDED GLASS DISPLAY CABINET



SC-63F / SC/SH-58F



SC/SH-188F / SC/SH-228F / SC/SH-268F

Model	SC-63F	SC/SH-58F	SC/SH-188F	SC/SH-228F	SC/SH-268F
Climate class	SN1 (ST(35°C))	SN1 (ST(35°C))	SN1 (ST(35°C))	SN1 (ST(35°C))	SN1 (ST(35°C))
Temperature range(°C)	2~12°C	2~12°C&40~55°C	2~12°C	2~12°C	2~12°C
Total net capacity(L)	59	55	173	211	249
Unit dimensions(W×D×H)mm	424*440*844	424*390*844	500*535*1323	500*535*1503	500*535*1683
Pack dimensions(W×D×H)mm	460*465*880	460*420*880	530*570*1360	530*570*1540	530*570*1720
Container load (40'HC)	390	420	154	146	116



VERTICAL DISPLAY CABINET



LF-450H



LF-920H



LF-1450H

VERTICAL DISPLAY CABINET

PRODUCT

Model	LF-450H	LF-920H	LF-1450H
Climate class	SN/N/ST/T	SN/N/ST/T	SN/N/ST/T
Temperature range(℃)	0~10℃	0~10℃	0~10℃
Total net capacity(L)	450L	920L	1450L
Unit dimensions(W×D×H)mm	600*610*2120	1200*600*2120	1800*600*2120
Pack dimensions(W×D×H)mm	620*630*2130	1220*620*2130	1820*620*2130
Container load (40'HC)	72	36	24



Model	SD-12Q	SD-15Q	SD-17Q
Climate class	4	4	4
Temperature range(℃)	≤-18	≤-18	≤-18
Total net capacity(L)	390	510	570
Unit dimensions(W×D×H)mm	1200*750*850	1500*760*850	1680*750*850
Pack dimensions(W×D×H)mm	1220*790*895	1520*790*895	1800*900*895
Container load (40'HC)	84	66	57

Model	SD-18Q	SD-20Q
Climate class	4	4
Temperature range(℃)	≤-25℃	≤-25℃
Total net capacity(L)	620	690
Unit dimensions(W×D×H)mm	1800*760*850	2000*760*850
Pack dimensions(W×D×H)mm	1820*790*895	2020*790*895
Container load (40'HC)	57	51



PRODUCT

COMBINED ISLAND FREEZER

- -18℃~-25℃ fast freezing.
- Low-e glass door with optional lock
- 80mm cyclopentane foaming thickness, overall foam, high strength, high density, safety and energy saving.
- Built-in LED light
- Fixed with an adjustable basket which can be moved left and right as what you require. Unique water drainage design for easy cleaning
- Humanized design makes it convenient for customers to fetch goods during shopping.